



CERTIFICATE OF CONFORMITY

This is to certify that

Termguard Termite Management System



Product description

The Termguard Termite Management System is a perimeter, underslab and penetrations chemical retreatment reticulation system for the treatment of termites in buildings and also includes the Termguard Armoured Shield and Granitgard penetration collars.

Product purpose or use

To deter concealed subterranean termite entry into buildings, by way of a perimeter, underslab and penetrations chemical reticulation system (including the Armoured Shield and Granitgard penetration collars).

Certificate holder

Termguard Pty Ltd
Unit 9, 145 Arthur St
Homebush West NSW 2140
Ph: 07 5573 4597 Fax: 07 5573 4586
Web: www.termguard.com.au
Email: support@termguard.com.au

Codemark Certification Body

SAI Global Certification Services Pty Limited
(ACN 108 716 669) Trading as "SAI Global"
JAS-ANZ Accreditation No. Z1440295AS
Address: 680 George Street, Sydney, NSW 2000
Website: www.saiglobal.com

Complies with the Building Code of Australia (BCA) 2016:

Volume One: BP1.1 and BP 1.2 (limited only to the actions by termites)
Volume Two: P2.1.1, QLD P2.1.3 (limited only to the actions by termites)

Subject to the Following conditions and limitations:

1. The Termguard Termite Management System is to be installed by licensed installers trained and approved by Termguard Pty Ltd.
2. The Termguard Termite Management System is to be installed in accordance with Edition 12 of the Termguard Reticulation System Technical Manual 2012.
3. The Termguard Termite Management System is not installed in the wall sub-cavity of buildings.
4. Penetrations of a different size to the preformed Termguard Armoured Shield collars are to be protected using the Termguard penetration reticulation configuration installed as described in the Technical Manual.
5. The Termguard Armoured Shield and Granitgard collars are to be installed to the penetration pipes that they protect as described in the relevant technical manual.
6. The concrete slab must be constructed in accordance with the requirements of AS 2870-2011 Residential slabs and footings or AS 3600-2009 - Concrete Structures (as amended up to and including Amendment 2).
7. Inspections are undertaken annually in accordance with the Termguard Management System Technical Manual to determine that no bridging or breaching of the Management has occurred.

Notes:

- (i) The installation of any termite Management system cannot guarantee a 100% protection against infestation by subterranean termites. Thus the installation of a management system does not negate the need for regular competent inspections. Any additions, alterations or earth works, including gardening adjacent to the building, may render the Management ineffective. Such activity should be referred to a licensed installation contractor for appropriate advice and treatment.
- (ii) Any additional treatment should be done in accordance with the relevant State or Territory regulations.

Heather Mahon - Risk and Compliance Manager APAC

Paul Bailey - Unrestricted Building Certifier

01/11/2016

Date of issue

23/07/2019

Date of expiry

SAIG-CM20006

Certificate Number



WWW.JAS-ANZ.ORG/REGISTER

- This Certificate of Conformity is issued by an accredited certification body under arrangement with JAS-ANZ. The ABCB does not in any way warrant, guarantee or represent that the Product the subject of this Certificate of Conformity conforms to the BCA, nor accepts any liability arising out of the use of the Product. The ABCB disclaims to the extent permitted by law, all liability (including negligence) for claims of losses, expenses, damages and costs arising as a result of the use of the product(s) referred to in this Certificate
- It is advised to check that this Certificate of Conformity is currently valid and not withdrawn, suspended or superseded by a later issue by referring to the ABCB website, www.abcb.gov.au.